

VENICUT41GN SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection



Certifications and norms



EN 388

4 X 4 4 C

ANSI ISEA 105

A3

Specific benefits



- · Reduces perspiration thanks to its excellent breathability
- · Nitrile means no risk of allergies for users



Performance

- · Lightweight for optimal dexterity
- · The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle
- · SOFTnocut fiber provides excellent cut resistance

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry





Edit 05/09/2024 www.deltaplus-usa.com



VENICUT41GN SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE X [0-5] CUT RESISTANCE 4 [0-4] TEAR RESISTANCE 4 [0-4] PIERCE RESISTANCE C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	15
Cuff caracteristic	Long cuff
Cuff length	100 mm
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Gray
Size	7, 8, 9, 10, 11
Type of conditioning	in individual bags



enjoy s



VENICUT41GN SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Â.	Weight				
VECUT41GN07	Grey	07	VENICUT41GN	3295249210830	13295249210837	60	12	4.8 kg	20.0 cm	32.4 cm	68.8 cm	
VECUT41GN08	Grey	08	VENICUT41GN	3295249210847	13295249210844	60	12	4.9 kg	31.0 cm	68.6 cm	19.6 cm	
VECUT41GN09	Grey	09	VENICUT41GN	3295249210854	13295249210851	60	12	5.3 kg	30.8 cm	68.8 cm	19.6 cm	
VECUT41GN10	Grey	10	VENICUT41GN	3295249210861	13295249210868	60	12	5.6 kg	20.0 cm	32.0 cm	69.0 cm	
VECUT41GN11	Grey	11	VENICUT41GN	3295249217891	13295249217898	60	12	6.7 kg	38.4 cm	45.8 cm	22.2 cm	



Multiple sales

Minimum sales

👕 Box Width

👕 Box Depth

Box Height



enjoy sa