

### Hand protection

# **VENIFISH VE990**

### **WORK WITH PROLONGED CHEMICAL RESISTANCE**

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids



## **Specific benefits**



### **Durability**

· High-quality coating extends the life of the glove and provides excellent protection for the hand



### Hygiene

 $\cdot$  Reduces perspiration thanks to its excellent breathability



#### **Performance**

· Extra thick and long for extra protection of the entire arm

## **Certifications and norms**





**EN 388** 

3121X



**EN ISO 374-1** 

TYPE A AKLMNPT



**EN ISO 374-5** 



**EN 407** 

X1XXX



# **Protects against risks**









## **Applications**

- Agriculture
- Public works
- Building
- Manufacturing/Transformation
- Accomodation & Food services
- Maintenance







# **VENIFISH VE990**

### WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

### **Standards - Details**



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



#### **EN 374**

A: MÉTHANOL K L M N P

#### **Technical details**

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	Latex grip textured
Coating level	Fully coated
Number of layer	Single layer
Thickness (mm)	1,8
Arm level protection	Forearm cuff (< 400mm)
Color	Orange
Size	7, 8, 9, 10, 11
Type of packaging	in individual bags





# **VENIFISH VE990**

### WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VE990OR09	Orange	9/10	VENIFISH VE990	3295249024130	13295249024137	120	12	23.9 kg	49.0 cm	31.0 cm	64.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



