



Hand protection

PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip on objects handled and resistance to oils and hydrocarbons



Specific benefits

Performance

- Extra thick and long for extra protection of the entire arm

Technologies and labels

 Silicon-free

Applications

- Public Works
- Building
- Maintenance
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)

Certifications and norms



EN 388
4 1 3 1 B



EN ISO 374-1
TYPE B
JKL



EN ISO 374-5



Risk Protection



Biological



Wearing



Chemical



Particules



Hand protection

PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip on objects handled and resistance to oils and hydrocarbons

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997



EN 374

J
K
L

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	PVC grip textured
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness (mm)	1,30
Gauge	13
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Silicone free, Long cuff (>290mm)
Color	Blue
Size	8, 9, 10
Type of conditioning	in individual bags








Safety gloves

PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip on objects handled and resistance to oils and hydrocarbons

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE780BL08	Blue	08	PETRO VE780	3295249026011	13295249026018	120	12	22.8 kg	34.0 cm	73.0 cm	36.0 cm
VE780BL09	Blue	09	PETRO VE780	3295249026028	13295249026025	120	12	23.52 kg	34.0 cm	73.0 cm	36.0 cm
VE780BL10	Blue	10	PETRO VE780	3295249026035	13295249026032	120	12	25.68 kg	34.0 cm	73.0 cm	36.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height