



Hand protection

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions



Specific benefits



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Automotive
- Mining
- Water and waste treatment

Certifications and norms



EN 388
4 1 3 1 A

Protects against risks



Wearing



Hand protection

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Aqua-polymere smooth
Coating level	3/4 Coated
Number of layer	Single layer
Dots material	Nitrile Dots
Gauge	15
Color	Grey-Black
Size	7, 8, 9, 10
Type of packaging	in individual bags








Safety gloves

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE729NO07	Grey-Black	07	VE729	3295249193379	13295249193376	120	12	5.8 kg	29.4 cm	43.2 cm	37.6 cm
VE729NO08	Grey-Black	08	VE729	3295249193386	13295249193383	120	12	7.5 kg	37.6 cm	56.2 cm	22.4 cm
VE729NO09	Grey-Black	09	VE729	3295249193393	13295249193390	120	12	7.7 kg	44.0 cm	28.0 cm	37.0 cm
VE729NO10	Grey-Black	10	VE729	3295249193409	13295249193406	120	12	8.2 kg	44.0 cm	28.0 cm	37.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height