



Hand protection

# VE726

WORKS IN OILY ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions



## Specific benefits



### Hygiene

· Nitrile means no risk of allergies for users



### Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

## Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Water and waste treatment

## Certifications and norms



EN 388  
3 1 2 1 X

## Protects against risks



Wearing



Hand protection

# VE726

WORKS IN OILY ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions

## Standards - Details



### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Aqua-polymere smooth
Coating level	Palm coated
Number of layer	Single layer
Gauge	15
Color	Grey-Black
Size	7, 8, 9, 10, 11
Type of packaging	in individual bags








# VE726

## WORKS IN OILY ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions

Safety gloves

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE726NO07	Grey-Black	07	VE726	3295249178185	13295249178182	120	12	5.1 kg	29.0 cm	43.0 cm	32.0 cm
VE726NO08	Grey-Black	08	VE726	3295249178192	13295249178199	120	12	5.6 kg	28.8 cm	43.2 cm	32.4 cm
VE726NO09	Grey-Black	09	VE726	3295249178208	13295249178205	120	12	8.5 kg	31.4 cm	70.6 cm	24.4 cm
VE726NO10	Grey-Black	10	VE726	3295249178215	13295249178212	120	12	6.7 kg	29.0 cm	43.2 cm	32.2 cm
VE726NO11	Grey-Black	11	VE726	3295249198022	13295249198029	120	12	7.0 kg	29.4 cm	43.0 cm	33.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height