

VE729

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions



Certifications and norms



Specific benefits



 \cdot Nitrile means no risk of allergies for users



 \cdot The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Automotive
- Mining
- Water and Waste Treatment



enjoy 8

Edit 19/09/2024 www.deltaplus-usa.com

Hand protection



VE729

WORKS IN OILY ENVIRONMENT

Hand protection

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Smooth Aqua Polymer
Coating Level	3/4 Coating
Number of Coatings	Single Coated
Dots material	Nitrile Dots
Gauge	15
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags



enjoy s

Edit 19/09/2024 www.deltaplus-usa.com



VE729


WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove up to mid-back, with good working properties and good grip in oily conditions

Safety gloves

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
VE729NO07	Grey-Black	07	VE729	3295249193379	13295249193376	120	12	5.8 kg	29.4 cm	43.2 cm	37.6 cm
VE729NO08	Grey-Black	08	VE729	3295249193386	13295249193383	120	12	7.5 kg	37.6 cm	56.2 cm	22.4 cm
VE729NO09	Grey-Black	09	VE729	3295249193393	13295249193390	120	12	7.7 kg	44.0 cm	28.0 cm	37.0 cm
VE729NO10	Grey-Black	10	VE729	3295249193409	13295249193406	120	12	8.2 kg	44.0 cm	28.0 cm	37.0 cm

Multiple sales



🔲 Box Width

👕 Box Depth

Box Height



enjoy sa