



Zaštita ruku

VE722

RADOVI SA ULJIMA I MASTIMA

Rukavica za zaštitu od mehaničkih opasnosti, idealna za rad u uljnim i masnim okruženjima



Prednosti



Higijena

· Zahvaljujući nitrilu ne postoji rizik od izazivanja alergijskih reakcija kod korisnika



Performanse

· Nitrilni premaz omogućuje osobama koje rade u okruženju u kojem ima ulja i masti lakše držanje predmeta kojima se rukuje.

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija

Certifikati i standardi



EN 388
4 1 2 1 X



Zaštita ruku

VE722

RADOVI SA ULJIMA I MASTIMA

Rukavica za zaštitu od mehaničkih opasnosti, idealna za rad u uljnim i masnim okruženjima

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
1 [0-5] OTPORNOST NA POREZOTINE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Materijal i završna obrada premaza	Pjenasti nitril
Razina premaza	Premaz dlana
Broj premaza	Jednoslojni premaz
Debljina	13
Dodatna pogodnost	Reach, Može se prikvačiti
Boja	Siva-Crna
Veličina	7, 8, 9, 10
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama



VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
VE722NO07	Grey-Black	07	VE722	3295249177621	13295249177628	120	12	6.0 kg
VE722NO08	Grey-Black	08	VE722	3295249177638	13295249177635	120	12	6.5 kg
VE722NO09	Grey-Black	09	VE722	3295249177645	13295249177642	120	12	6.5 kg
VE722NO10	Grey-Black	10	VE722	3295249177652	13295249177659	120	12	7.5 kg