



VE702PGS

WORKS IN DRY ENVIRONMENT

Hand protection



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public works
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Temporary work
- Water and waste treatment

Certifications and norms



EN 388
3 1 2 1 X

Protects against risks



Wearing



VE702PGS

WORKS IN DRY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Grey
Size	6, 7, 8, 9, 10, 11
Type of packaging	in individual bags








VE702PGS

WORKS IN DRY ENVIRONMENT

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE702PGS06	Grey	06	VE702PGS	3295249252090	13295249252097	240	12	7.0 kg	29.2 cm	47.8 cm	48.2 cm
VE702PGS07	Grey	07	VE702PGS	3295249252106	13295249252103	240	12	7.2 kg	28.8 cm	48.6 cm	49.4 cm
VE702PGS08	Grey	08	VE702PGS	3295249252120	13295249252127	240	12	7.3 kg	29.0 cm	47.2 cm	50.2 cm
VE702PGS09	Grey	09	VE702PGS	3295249252137	13295249252134	240	12	8.6 kg	29.8 cm	48.2 cm	50.0 cm
VE702PGS10	Grey	10	VE702PGS	3295249252144	13295249252141	240	12	9.4 kg	29.0 cm	48.4 cm	50.4 cm
VE702PGS11	Grey	11	VE702PGS	3295249252151	13295249252158	240	12	9.6 kg	28.6 cm	49.0 cm	51.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height