



VE702PN

WORKS IN DRY ENVIRONMENT

Hand protection



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

· Construction lot in a cost-effective format for the user, including twelve pairs for a weekly period of use

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Temporary Work

Certifications and norms



EN 388
3 1 2 1 X



VE702PN

WORKS IN DRY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Black
Size	8, 9, 10, 11
Type of conditioning	Bag of 12








VE702PN

WORKS IN DRY ENVIRONMENT

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE702PNG1208	Black	08	VE702PN	3295249256722	13295249256729	20	1	7.5 kg	46.0 cm	29.8 cm	45.8 cm
VE702PNG1209	Black	09	VE702PN	3295249256739	13295249256736	20	1	8.1 kg	46.4 cm	29.4 cm	45.8 cm
VE702PNG1210	Black	10	VE702PN	3295249256746	13295249256743	20	1	8.5 kg	47.4 cm	30.4 cm	46.6 cm
VE702PNG1211	Black	11	VE702PN	3295249256753	13295249256750	20	1	8.5 kg	47.2 cm	29.8 cm	46.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height