



Hand protection

VE702GR

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Lightweight for optimal dexterity
- The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Water and Waste Treatment

Certifications and norms



EN 388
3 1 2 1 X



Hand protection

VE702GR

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Washable, Vendor pack
Color	Gray
Size	6, 7, 8, 9, 10
Type of conditioning	in individual bags








Safety gloves

VE702GR

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE702GR06	Grey	06	VE702GR	3295249044367	13295249044364	240	10	7.9 kg	29.4 cm	47.4 cm	49.0 cm
VE702GR07	Grey	07	VE702GR	3295249037536	13295249037533	240	10	8.3 kg	30.2 cm	47.2 cm	49.4 cm
VE702GR08	Grey	08	VE702GR	3295249037543	13295249037540	240	10	9.2 kg	29.4 cm	48.2 cm	50.6 cm
VE702GR09	Grey	09	VE702GR	3295249037550	13295249037557	240	10	9.6 kg	29.6 cm	48.2 cm	49.4 cm
VE702GR10	Grey	10	VE702GR	3295249037567	13295249037564	240	10	10.3 kg	29.8 cm	48.2 cm	48.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height