



Hand protection

VE631

WORKS IN WET ENVIRONMENT

Mechanical glove ideal for precision work in oily environments



Applications

- Public Works
- Finishing Works/Craftsmanship
- Temporary Work
- Water and Waste Treatment

Certifications and norms



EN 388
2121A

Risk Protection



Wearing



enjoy safety.

Edit 14/11/2024
www.deltaplus-usa.com



Hand protection

VE631

WORKS IN WET ENVIRONMENT

Mechanical glove ideal for precision work in oily environments

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Latex foam
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Blue-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags








VE631

WORKS IN WET ENVIRONMENT

Mechanical glove ideal for precision work in oily environments

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE631BL07	Blue-Black	07	VE631	3295249180492	13295249180499	120	12	6.6 kg	28.6 cm	64.8 cm	23.8 cm
VE631BL08	Blue-Black	08	VE631	3295249180508	13295249180505	120	12	7.4 kg	28.4 cm	65.0 cm	27.0 cm
VE631BL09	Blue-Black	09	VE631	3295249180515	13295249180512	120	12	8.0 kg	29.4 cm	68.0 cm	27.2 cm
VE631BL10	Blue-Black	10	VE631	3295249180522	13295249180529	120	12	8.4 kg	65.0 cm	29.0 cm	24.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height