



Hand protection

VE630

WORKS IN WET ENVIRONMENT

Mechanical glove ideal for precision work in oily environments



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Temporary Work
- Water and Waste Treatment

Certifications and norms



EN 388
2131X

Risk Protection



Wearing



enjoy safety.

Edit 01/11/2024
www.deltaplus-usa.com



Hand protection

VE630

WORKS IN WET ENVIRONMENT

Mechanical glove ideal for precision work in oily environments

Standards - Details



EN388:2016+A1:2018

- 2 [0-4] ABRASION RESISTANCE
- 1 [0-5] CUT RESISTANCE
- 3 [0-4] TEAR RESISTANCE
- 1 [0-4] PIERCE RESISTANCE
- X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Grip Textured Latex
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Vendor pack
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags








VE630

WORKS IN WET ENVIRONMENT

Mechanical glove ideal for precision work in oily environments

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE630GR07	Grey-Black	07	VE630	3295249171278	13295249171275	120	12	6.7 kg	29.2 cm	56.6 cm	26.6 cm
VE630GR08	Grey-Black	08	VE630	3295249171285	13295249171282	120	12	8.75 kg	55.5 cm	27.5 cm	26.0 cm
VE630GR09	Grey-Black	09	VE630	3295249171292	13295249171299	120	12	8.8 kg	28.6 cm	57.8 cm	28.0 cm
VE630GR10	Grey-Black	10	VE630	3295249171308	13295249171305	120	12	9.3 kg	28.8 cm	59.2 cm	28.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height