

VE702

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.



Specific benefits



Durability

· Tested before and after washing: performance unchanged



Hygiene

· Washable glove, so it can be reused



Performance

 \cdot The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Water and Waste Treatment

Certifications and norms





Risk Protection









VE702

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach, Washable, Vendor pack
Color	White
Size	6, 7, 8, 9, 10
Type of conditioning	in individual bags

Product Care

· Machine dry at low temperature







VE702

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for dry conditions, washable and more comfortable for extended wear.

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
VE70206	White	06	VE702	3295249047269	13295249047266	240	10	7.2 kg	29.8 cm	30.4 cm	76.0 cm	
VE70207	White	07	VE702	3295249019105	13295249019102	240	10	7.7 kg	46.2 cm	52.2 cm	29.2 cm	
VE70208	White	08	VE702	3295249019112	13295249019119	240	10	8.1 kg	46.4 cm	51.8 cm	29.4 cm	
VE70209	White	09	VE702	3295249019129	13295249019126	240	10	8.7 kg	29.4 cm	47.4 cm	52.6 cm	
VE70210	White	10	VE702	3295249019136	13295249019133	240	10	8.8 kg	46.2 cm	52.2 cm	29.0 cm	

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



