



TOUTRAVO VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Avtomobilska

Certifications and norms



EN 388
3 1 1 0 X



EN ISO 374-1
TYPE A
AKLMNOPT



EN ISO 374-5

Protects against risks



Biological chemical particles



Wearing



Chemical



Particules



TOUTRAVO VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
O
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported flocked
Tight glove kind	Unsupported
Inner finition	Flocked
Coating material and finition	Neoprene smooth
Coating level	Fully coated
Number of layer	Single layer
Thickness (mm)	0,78
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach
Color	Črna
Size	6, 7, 8, 9, 10, 11
Type of packaging	in individual bags








Safety gloves

TOUTRAVO VE510

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the forearm, has a good grip on handled objects for all types of applications

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE510NO07	Black	7/8	TOUTRAVO VE510	3295249012038	13295249012035	120	12	23.0 kg	86.0 cm	31.0 cm	25.0 cm
VE510NO09	Black	9/10	TOUTRAVO VE510	3295249012052	13295249012059	120	12	23.0 kg	86.0 cm	31.0 cm	25.0 cm
VE510NO10	Black	10/11	TOUTRAVO VE510	3295249012069	13295249012066	120	12	23.0 kg	86.0 cm	31.0 cm	25.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height