



PICAFLOR VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Hand protection



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Lightweight for optimal dexterity

Applications

- Kmetijstvo
- Javna dela
- Second work / craftman
- Proizvodnja / Predelava
- Hoteli in restavracije
- Vzdrževanje

Certifications and norms



EN 388
1 0 1 0 X



EN ISO 374-1
TYPE B
KLMPT



EN ISO 374-5



Protects against risks



Biological chemical particles



Chemical



Particules



PICAFLOR VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Hand protection

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE
0 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

K
L
M
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported flocked
Tight glove kind	Unsupported
Inner finition	Flocked
Coating material and finition	Latex pattern
Coating level	Fully coated
Number of layer	Single layer
Thickness (mm)	0,38
Arm level protection	Forearm cuff (< 400mm)
Color	Rumena
Size	6, 7, 8, 9, 10
Type of packaging	in individual bags








Safety gloves

PICAFLOR VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for the food industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE240JA06	Yellow	6/7	PICAFLOR VE240	3295249008680	13295249008687	144	12	7.0 kg	25.0 cm	43.0 cm	33.0 cm
VE240JA07	Yellow	7/8	PICAFLOR VE240	3295249008697	13295249008694	144	12	7.8 kg	25.0 cm	43.0 cm	33.0 cm
VE240JA08	Yellow	8/9	PICAFLOR VE240	3295249008703	13295249008700	144	12	8.5 kg	25.0 cm	43.0 cm	33.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height