



Zaštita ruku

TERK500 XTREM HEAT

SPECIFIČNI TERMIČKI RADOVI

Ojačana termička rukavica, razina zaštite od posjekotina E, idealna za ekstremne vrućine



Prednosti

Performanse

· Otpornost na kontaktnu toplinu (500°C tijekom 15 sekundi) zahvaljujući vlaknima HEATnocut visokih performansi

Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Laka industrija
- Održavanje
- Farmaceutska industrija / Laboratoriji
- Automobilska

Certifikati i standardi



EN 388

2 5 4 4 E



EN 407

4 4 4 2 4 X

Štiti od



Toplina



Rezanje



enjoy safety.

Edit 05/11/2024
www.deltaplus.eu



Zaštita ruku

TERK500 XTREM HEAT

SPECIFIČNI TERMIČKI RADOVI

Ojačana termička rukavica, razina zaštite od posjekotina E, idealna za ekstremne vrućine

Pojedinosti - Standardi



EN388:2016+A1:2018

2 [0-4] OTPORNOST NA ABRAZIJU
5 [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
4 [0-4] PIERCE RESISTANCE
E [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Krojene i šivane rukavice s dijelom na dlanu i stražnjim dijelom od tkanine
Vrsta mehaničke rukavice	Izrađena po mjeri
Razina zaštite ruke	Duljina: u predjelu podlaktice (< 400 mm)
Osnovne značajke manžete	Zaštitna manšeta
Cuff length (mm)	160
Boja	Žuta
Veličina	Univerzalna
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama








Safety gloves

TERK500 XTREM HEAT

THERMAL SPECIFIC WORKS

Level E cut-resistant reinforced thermal glove, ideal for extreme heat environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TERK500	Yellow	One size	TERK500 XTREM HEAT	3295249228668	13295249228665	36	1	15.8 kg	50.0 cm	50.0 cm	50.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height