



# TERK500 XTREM HEAT

## THERMAL SPECIFIC WORKS

Hand protection



### Specific benefits

#### Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (500°C for 15 seconds)

### Applications

- Stavba
- Second work / craftman
- Lahka industrija
- Vzdrževanje
- Farmaceutska industrija / laboratoriji
- Avtomobilska

### Certifications and norms



EN 388  
2 5 4 4 E



EN 407  
4 4 4 2 4 X

### Protects against risks



Heat



Cutting



# TERK500 XTREM HEAT

## THERMAL SPECIFIC WORKS

Hand protection

### Standards - Details



#### EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE  
5 [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
4 [0-4] PIERCE RESISTANCE  
E [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile palm / textile back
Mechanical glove kind	Cut and sewn
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Large safety cuff
Cuff length (mm)	160
Color	Rumena
Size	Unique
Type of packaging	in individual bags








Safety gloves

# TERK500 XTREM HEAT

## THERMAL SPECIFIC WORKS

Level E cut-resistant reinforced thermal glove, ideal for extreme heat environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TERK500	Yellow	One size	TERK500 XTREM HEAT	3295249228668	13295249228665	36	1	15.8 kg	50.0 cm	50.0 cm	50.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height