



Protezione delle mani

# TP169 Bianco

LAVORI IN AMBIENTE ASCIUTTO

Guanto meccanico, puntinato per una miglior destrezza



## Benefici

### Prestazioni

· Leggeri per una destrezza ottimale

## Campi di utilizzo

- Finitura / artigiani
- Lavoro temporaneo
- Stoccaggio

## Certificazioni e norme



EN 388  
X12XX

## Protegge contro i rischi



Usura



# TP169 Bianco

LAVORI IN AMBIENTE ASCIUTTO

Guanto meccanico, puntinato per una miglior destrezza

Protezione delle mani

## Dettagli - Norme



### EN388:2016+A1:2018

X [0-4] RESISTENZA ALL'ABRASIONE  
1 [0-5] RESISTENZA AL TAGLIO  
2 [0-4] TEAR RESISTANCE  
X [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

## Dettagli tecnici

Tipo di guanto	Guanto meccanico
Gamma di guanti	Guanto in maglia non spalmato puntinato
Tipo di guanto meccanico	Lavorazione a maglia
Materiale della puntinatura	Puntini in PVC
Finezza	7
Vantaggio supplementare	Reach
Colore	Bianco
Taglia	7, 9








Safety gloves

# TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TP16907	White	07	TP169	3295249016036	13295249016033	300	12	19.4 kg	46.6 cm	59.2 cm	24.2 cm
TP16909	White	09	TP169	3295249016043	13295249016040	300	12	20.0 kg	55.0 cm	65.6 cm	24.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height