



Zaštita ruku

TP169 Bijela

RADOVI U SUHIM UVJETIMA

Rukavica za zaštitu od mehaničkih opasnosti, s točkicama za bolje prianjanje



Prednosti



Performanse

· Iznimno lagano za optimalnu pokretljivost

Područje upotrebe

- Pomoćni poslovi / Obrtništvo
- Rad na određeno vrijeme
- Skladištenje

Certifikati i standardi



EN 388
X12XX

Štiti od



Habanje



Zaštita ruku

TP169 Bijela

RADOVI U SUHIM UVJETIMA

Rukavica za zaštitu od mehaničkih opasnosti, s točkicama za bolje prianjanje

Pojedinosti - Standardi



EN388:2016+A1:2018

X [0-4] OTPORNOST NA ABRAZIJU
1 [0-5] OTPORNOST NA POREZOTINE
2 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

| | |
|---------------------------------------|---|
| Vrsta rukavica | Mehaničke rukavice |
| Asortiman | Pletene rukavice bez obloge sa šiljcima |
| Vrsta mehaničke rukavice | Pletena |
| Materijal od kojeg su izrađeni šiljci | PVC šiljci |
| Debljina | 7 |
| Dodatna pogodnost | Reach |
| Boja | Bijela |
| Veličina | 7, 9 |








Safety gloves

TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-------------|---------------|----------------|---|---|---------|---|---|---|
| TP16907 | White | 07 | TP169 | 3295249016036 | 13295249016033 | 300 | 12 | 19.4 kg | 46.6 cm | 59.2 cm | 24.2 cm |
| TP16909 | White | 09 | TP169 | 3295249016043 | 13295249016040 | 300 | 12 | 20.0 kg | 55.0 cm | 65.6 cm | 24.4 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height