

## **PVC7335**

#### **WORK WITH OCCASIONAL CHEMICAL RESISTANCE**

Chemical glove, offering full for arm protection against oil and hydrocarbon splashes in prolonged use



### **Certifications and norms**





**EN 388** 2 1 2 1 X



EN ISO 374-1



**EN ISO 374-5** 

## **Specific benefits**



#### **Performance**

· Extra thick and long for extra protection of the entire arm

## **Applications**

- Public Works
- Building
- Maintenance
- Automotive
- Temporary Work
- Water and Waste Treatment

## **Risk Protection**













# **PVC7335**

#### **WORK WITH OCCASIONAL CHEMICAL RESISTANCE**

Chemical glove, offering full for arm protection against oil and hydrocarbon splashes in prolonged use

### **Standards - Details**



#### EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



#### **EN 374**

K

#### **Technical details**

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	pvc smooth
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness (mm)	0,90
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Long cuff (>290mm)
Color	Red
Size	10







# **PVC7335**

## **WORK WITH OCCASIONAL CHEMICAL RESISTANCE**

Chemical glove, offering full for arm protection against oil and hydrocarbon splashes in prolonged use

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
PVC733510	Red	10	PVC7335	3295249020200	13295249020207	120	12	28.26 kg	37.0 cm	71.4 cm	25.6 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height