



Hand protection

KPG10

THERMAL HOT WORKS

Level D cut-resistant ambidextrous thermal glove, combining thermal resistance and finesse, ideal for use in hot environments



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (250° for 15 seconds)



Compatibility

· Ambidextrous glove

Certifications and norms



EN 388
1 X 4 X D



EN 407
4 2 X X X X

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Temporary work

Protects against risks



Heat



Cutting



Hand protection

KPG10

THERMAL HOT WORKS

Level D cut-resistant ambidextrous thermal glove, combining thermal resistance and finesse, ideal for use in hot environments

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|------------------------|
| Glove kind | Mechanical glove |
| Glove family | Knitted uncoated glove |
| Mechanical glove kind | Knitted |
| Gauge | 7 |
| Color | Yellow |
| Size | 9 |








Safety gloves

KPG10

THERMAL HOT WORKS

Level D cut-resistant ambidextrous thermal glove, combining thermal resistance and finesse, ideal for use in hot environments

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-------------|---------------|----------------|---|---|--------|---|---|---|
| KPG1009 | Yellow | 09 | KPG10 | 3295249035433 | 13295249035430 | 36 | 6 | 7.5 kg | 40.0 cm | 32.0 cm | 31.0 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height