

LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids



Specific benefits



Durability

 \cdot High-quality coating extends the life of the glove and provides excellent protection for the hand



Easy to use

· Chlorinated interior for easy glove donning



Performance

· Extra thick and long for extra protection of the entire arm

Certifications and norms





EN 388

4121X



EN ISO 374-1TYPE A

TYPE A AKLMNOPT



EN ISO 374-5



EN 407×1××××

Applications

- Agriculture
- Public works
- Building
- Manufacturing/Transformation
- Maintenance
- Chemical industry

Protects against risks













LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374

A: MÉTHANOL K L M N O P

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Inner finition	Powder free
Coating material and finition	Smooth latex
Coating level	Fully coated
Number of layer	Single layer
Thickness (mm)	1,15
Arm level protection	Shoulder cuff (> 500mm)
Color	Black
Size	10, 11
Type of packaging	in individual bags





LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
LA60010	Black	10/11	LA600	3295249008338	13295249008335	36	1	16.3 kg	38.2 cm	40.4 cm	36.2 cm	

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height



