



NI155

WORKS IN OILY ENVIRONMENT

Hand protection



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
3 1 1 1 X

Applications

- Javna dela
- Stavba
- Avtomobilska
- Rudarska industrija
- Začasno delo
- Čiščenje odpadkov in vode

Protects against risks



Wearing



NI155

WORKS IN OILY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile coated glove
Mechanical glove kind	Cut and sewn
Coating material and finition	Nitrile pattern
Coating level	Fully coated except wrist
Number of layer	Single layer
Cuff characteristic	Added knitted cuff
Color	Modra
Size	10








Safety gloves

NI155

WORKS IN OILY ENVIRONMENT

Waterproof, mechanical glove, not very sensitive to heat, ideal for heavy work in oily and greasy environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
NI15510	Blue	10	NI155	3295249019327	13295249019324	120	12	14.9 kg	36.4 cm	63.0 cm	26.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height