



Hand protection

# LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids



## Specific benefits



### Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



### Performance

· Extra thick and long for extra protection of the entire arm

## Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Maintenance

## Certifications and norms



EN 388  
3 1 2 1 X



EN ISO 374-1  
TYPE A  
AKLMNPT



EN ISO 374-5



EN 511  
X  
1  
X



EN 407  
X 1 X X X X

## Protects against risks



Heat



Biological



Wearing



Chemical



Hand protection

# LAT50

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997



#### EN 374

A : MÉTHANOL  
K  
L  
M  
N  
P  
T

### Technical details

Glove kind	Special glove
Glove family	Tight glove supported
Tight glove kind	Supported
Special gloves kind	Cold
Coating material and finition	Latex grip textured
Coating level	Fully coated
Number of layer	Single layer
Thickness (mm)	1,80
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Straight cuff
Benefits element	Vendor pack
Color	Green
Size	7, 8, 9, 10, 11
Type of packaging	in individual bags








Safety gloves

# LAT50

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LAT5009	Green	9/10	LAT50	3295249017521	13295249017528	120	12	24.5 kg	49.0 cm	31.0 cm	64.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height