



NI015

WORKS IN OILY ENVIRONMENT

Hand protection



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
2111X

Applications

- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Čiščenje
- Začasno delo
- Javne storitve

Protects against risks



Wearing



NI015

WORKS IN OILY ENVIRONMENT

Hand protection

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile coated glove
Mechanical glove kind	Cut and sewn
Coating material and finition	Nitrile pattern
Coating level	3/4 Coated
Number of layer	Single layer
Thickness (mm)	0.80
Cuff characteristic	Added knitted cuff
Color	Rumena
Size	7, 8, 9, 10, 11








Safety gloves

NI015

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof up to the mid-back and lightweight for long wearing periods

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
NI01507	Yellow	07	NI015	3295249010737	13295249010734	120	12	6.1 kg	26.6 cm	49.2 cm	25.8 cm
NI01508	Yellow	08	NI015	3295249024307	13295249024304	120	12	6.4 kg	25.8 cm	49.4 cm	26.8 cm
NI01509	Yellow	09	NI015	3295249018818	13295249018815	120	12	7.0 kg	25.6 cm	53.4 cm	26.8 cm
NI01510	Yellow	10	NI015	3295249010744	13295249010741	120	12	7.6 kg	26.4 cm	53.4 cm	27.6 cm
NI01511	Yellow	11	NI015	3295249046989	13295249046986	120	12	7.0 kg	57.5 cm	28.5 cm	29.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height