



手部防护

# FBF50

## 热冷工作

防寒皮革手套，兼具防潮性和抗寒性，适合在寒冷环境中进行低强度作业，可提高耐用性和舒适性



### 具体优势

高性能

· 优越的防寒防潮性能，可在低至 -30°C 的寒冷环境使用

### 应用行业

- 公共工程
- 建筑业
- 维修业
- 仓储

### 标准和认证



EN 388  
2 1 3 2 X



EN 511  
1  
2  
0

### 防范风险



寒冷



磨损



enjoy safety.



手部防护

# FBF50

热冷工作

防寒皮革手套，兼具防潮性和抗寒性，适合在寒冷环境中进行低强度作业，可提高耐用性和舒适性

## 详细信息 - 标准



### EN388:2016+A1:2018

- 2 [0-4] 耐磨
- 1 [0-5] 防切割
- 3 [0-4] TEAR RESISTANCE
- 2 [0-4] PIERCE RESISTANCE
- X [A-F] CUT RESISTANCE ISO 13997

## 技术细节

手套类别	特殊手套
手套类别	裁切缝合的皮革掌面/皮革掌背
机械手套类	裁剪及缝纫
特殊手套类型	防寒
内衬材质	皮革, 厚绒
厚度 (mm)	0,9 -> 1,1
袖口特征	弹性缝制开口袖口
颜色	米色
尺码	9, 10








Safety gloves

# FBF50

## THERMAL COLD WORKS

Thermal leather glove, combining resistance to moisture and cold, increased durability and comfort in low-intensity cold environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FBF5009	Beige	09	FBF50	3295249011086	13295249011083	60	12	10.0 kg	27.0 cm	57.0 cm	29.0 cm
FBF5010	Beige	10	FBF50	3295249012885	13295249012882	60	12	10.7 kg	28.0 cm	58.6 cm	29.8 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height