



Hand protection

# FBF15

## THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove



### Specific benefits



#### Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

### Applications

- Public works
- Building
- Maintenance
- Temporary work
- Storage

### Certifications and norms



EN 388  
2 1 2 2 X



EN 511  
2  
4  
X

### Protects against risks



Cold



Wearing



Hand protection

# FBF15

## THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove

### Standards - Details



#### EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical glove kind	Cut and sewn
Special gloves kind	Cold
Lining material	Leather
Thickness (mm)	1,0 -> 1,2
Cuff characteristic	Fleece lined cuff
Color	Yellow
Size	8, 10, 11








Safety gloves

# FBF15

## THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FBF1508	Yellow	08	FBF15	3295249039127	13295249039124	60	6	14.1 kg	30.6 cm	61.0 cm	39.4 cm
FBF1510	Yellow	10	FBF15	3295249014186	13295249014183	60	6	15.6 kg	29.2 cm	62.8 cm	40.4 cm
FBF1511	Yellow	11	FBF15	3295249039141	13295249039148	60	6	16.0 kg	39.4 cm	63.8 cm	30.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height