



Handbescherming

# FBF15

## WERKEN MET KOUDERISICO

Leren thermische handschoen, ideaal in koude omgevingen dankzij het bont aan de binnenkant van de handschoen



### Voordelen



#### Prestaties

· Zeer goed bestand tegen kou en vochtigheid, ideaal in koude omgevingen tot -30°C

### Toepassing

- Openbare werken
- Bouw & Constructie
- Onderhoud
- Tijdelijk werk
- Opslag

### Certificeringen en normen



EN 388  
2 1 2 2 X



EN 511  
2  
4  
X

### Beschermt tegen



Koude



Schuren en slijtage



Handbescherming

# FBF15

## WERKEN MET KOUDERISICO

Leren thermische handschoen, ideaal in koude omgevingen dankzij het bont aan de binnenkant van de handschoen

### Normen - Details



#### EN388:2016+A1:2018

2 [0-4] SCHUURWEERSTAND  
1 [0-5] WEERSTAND TEGEN SNIJDEN  
2 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technische details

Type handschoen	Specifieke handschoen
Handschoenfamilie	Gesneden en genaaide handschoen handpalm leder/rug leder
Type mechanische handschoen	Gesneden genaaid
Specifieke handschoentypes	Koude
Voering	Leer
Dikte (mm)	1,0 -> 1,2
Kenmerk manchet	Fleece manchet
Kleur	Geel
Grootte	8, 10, 11








Safety gloves

# FBF15

## THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FBF1508	Yellow	08	FBF15	3295249039127	13295249039124	60	6	14.1 kg	30.6 cm	61.0 cm	39.4 cm
FBF1510	Yellow	10	FBF15	3295249014186	13295249014183	60	6	15.6 kg	29.2 cm	62.8 cm	40.4 cm
FBF1511	Yellow	11	FBF15	3295249039141	13295249039148	60	6	16.0 kg	39.4 cm	63.8 cm	30.4 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height