



手部防护

FBF15

热冷工作

防寒皮革手套，内部毛绒衬里，适合在寒冷环境下使用



具体优势

 高性能

· 卓越的防寒防潮性能，可在低至 -30°C 的寒冷环境使用

应用行业

- 公共工程
- 建筑业
- 维修业
- 临时作业
- 仓储

标准和认证



EN 388
2 1 2 2 X



EN 511
2
4
X

防范风险



寒冷



磨损



enjoy safety.

编辑 01/11/2024
www.deltaplus.com.cn



FBF15

热冷工作

手部防护

防寒皮革手套，内部毛绒衬里，适合在寒冷环境下使用

详细信息 - 标准



EN388:2016+A1:2018

2 [0-4] 耐磨

1 [0-5] 防切割

2 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

技术细节

手套类别	特殊手套
手套类别	裁切缝合的皮革掌面/皮革掌背
机械手套类	裁剪及缝纫
特殊手套类型	防寒
内衬材质	皮革
厚度 (mm)	1,0 -> 1,2
袖口特征	毛绒衬里袖口
颜色	黄色
尺码	8, 10, 11








Safety gloves

FBF15

THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FBF1508	Yellow	08	FBF15	3295249039127	13295249039124	60	6	14.1 kg	30.6 cm	61.0 cm	39.4 cm
FBF1510	Yellow	10	FBF15	3295249014186	13295249014183	60	6	15.6 kg	29.2 cm	62.8 cm	40.4 cm
FBF1511	Yellow	11	FBF15	3295249039141	13295249039148	60	6	16.0 kg	39.4 cm	63.8 cm	30.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height