



DPVENICUTB04

LANDSCAPING WORK

Hand protection



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
3 X 4 2 B

ANSI ISEA 105

A2

Protects against risks



Cutting



Wearing



enjoy safety.

Edit 03/11/2024
www.deltaplus.eu



DPVENICUTB04

LANDSCAPING WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Grey
Size	7, 8, 9
Type of packaging	Header card








DPVENICUTB04

LANDSCAPING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DPVEUCUTB04GR07	Grey	07	DPVENICUTB04	3295249203702	13295249203709	120	6	8.4 kg	33.0 cm	60.6 cm	32.4 cm
DPVEUCUTB04GR08	Grey	08	DPVENICUTB04	3295249269319	13295249269316	120	6	9.2 kg	31.2 cm	62.2 cm	33.0 cm
DPVEUCUTB04GR09	Grey	09	DPVENICUTB04	3295249203719	13295249203716	120	6	9.3 kg	33.4 cm	55.8 cm	36.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height