



DPTC715

DIY WORK

Hand protection



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Applications

- Javna dela
- Stavba
- Second work / craftman
- Avtomobilska
- Začasno delo

Certifications and norms



EN 388
3 1 2 2 X

EN 12477
TYPE A



EN 407
4 1 3 X 4 X

Protects against risks



Heat



Wearing



enjoy safety.

Edit 08/11/2024
www.deltaplus.eu



DPTC715

DIY WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical glove kind	Cut and sewn
Special gloves kind	Welding
Thickness (mm)	1,2
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Leather cuff
Benefits element	Reach, Vendor pack
Color	Siva
Size	10
Type of packaging	Header card



DPTC715

DIY WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DPTC71510	Grey	10	DPTC715	3295249189587	13295249183537	60	6	16.0 kg	38.0 cm	31.0 cm	36.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height