



# DPTC715

## DIY WORK

Hand protection



## Specific benefits

### Performance

- Extra thick and long for extra protection of the entire arm
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

## Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Automotive
- Temporary Work

## Certifications and norms



**EN 388**  
3 1 2 2 X

**EN 12477**  
TYPE A



**EN 407**  
4 1 3 X 4 X

## Risk Protection



Heat



Wearing



*enjoy safety.*

Edit 21/11/2024  
[www.deltaplus-usa.com](http://www.deltaplus-usa.com)



# DPTC715

## DIY WORK

Hand protection

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical Glove Type	Cut Sewn
Special gloves kind	Welding
Thickness (mm)	1,2
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Leather cuff
Benefits element	Reach, Vendor pack
Color	Gray
Size	10
Type of conditioning	Header card



# DPTC715

DIY WORK

Safety gloves

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DPTC71510	Grey	10	DPTC715	3295249189587	13295249183537	60	6	16.0 kg	38.0 cm	31.0 cm	36.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height