



Hand protection

# CA515R

## THERMAL WELDING WORKS

Thermal leather glove, suitable for welding work owing to its resistance to contact heat



### Specific benefits



#### Performance

- Extra thick and long for extra protection of the entire arm
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

### Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

### Certifications and norms



EN 388  
3 1 3 2 X

EN 12477  
TYPE A



EN 407  
4 1 3 X 4 X

### Protects against risks



Heat



Wearing



Hand protection

# CA515R

## THERMAL WELDING WORKS

Thermal leather glove, suitable for welding work owing to its resistance to contact heat

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
3 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical glove kind	Cut and sewn
Special gloves kind	Welding
Thickness (mm)	1,2 -> 1,4
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Leather cuff
Color	Red
Size	10



Safety gloves

# CA515R

## THERMAL WELDING WORKS

Thermal leather glove, suitable for welding work owing to its resistance to contact heat

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CA515R10	Red	10	CA515R	3295249025939	13295249025936	60	12	22.9 kg	26.6 cm	36.4 cm	77.2 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height