



Zaštita ruku

# CA515R

## TOPLINSKO ZAVARIVANJE

Kožna termička rukavica, pogodna za zavarivanje zahvaljujući otpornosti na kontaktnu toplinu



### Prednosti

#### Performanse

- Vrlo debele i dugačke za pojačanu zaštitu ruke u cijelosti
- Otpornost na kontaktnu toplinu (100 °C tijekom 15 sekundi) zahvaljujući vlaknima HEATnocut visokih performansi

### Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija

### Certifikati i standardi



EN 388  
3 1 3 2 X

EN 12477  
TIP A



EN 407  
4 1 3 X 4 X

### Štiti od



Toplina



Habanje



*enjoy safety.*

Edit 03/11/2024  
[www.deltaplus.eu](http://www.deltaplus.eu)



Zaštita ruku

# CA515R

## TOPLINSKO ZAVARIVANJE

Kožna termička rukavica, pogodna za zavarivanje zahvaljujući otpornosti na kontaktnu toplinu

### Pojedinosti - Standardi



#### EN388:2016+A1:2018

3 [0-4] OTPORNOST NA ABRAZIJU  
1 [0-5] OTPORNOST NA POREZOTINE  
3 [0-4] TEAR RESISTANCE  
2 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

### Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Krojene i šivane rukavice s dijelom na dlanu i stražnjim dijelom od kože
Vrsta mehaničke rukavice	Izrađena po mjeri
Posebna vrsta rukavica	Zavarivanje
Debljina (mm)	1,2 -> 1,4
Razina zaštite ruke	Duljina: u predjelu podlaktice (< 400 mm)
Osnovne značajke manžete	Kožna manžeta
Boja	Crvena
Veličina	10








Safety gloves

# CA515R

## THERMAL WELDING WORKS

Thermal leather glove, suitable for welding work owing to its resistance to contact heat

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CA515R10	Red	10	CA515R	3295249025939	13295249025936	60	12	22.9 kg	26.6 cm	36.4 cm	77.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height