



# GARGAS II ISO 18KV

## MANUFACTURING

High electrical insulating shoe (18KV)

Foot protection



### Specific benefits



#### Comfort

- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



#### Performance

- High stability ensured by the sole's grip properties



#### Hygiene

- Removable insock for easy cleaning

### Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Heavy industry
- Light industry

### Certifications and norms



ASTM F2413

ASTM F2413-18 I/75, C/75

### Protects against risks



Shock



Slip



Electrical



Perforation



# GARGAS II ISO 18KV

## MANUFACTURING

High electrical insulating shoe (18KV)

Foot protection

### Standards - Details

### Technical details

|                             |                 |
|-----------------------------|-----------------|
| Shoe type                   | Low shoe        |
| Anti-perforation insert     | Stainless steel |
| Upper material and finition | Split Leather   |
| Safety toe-cap              | Stainless steel |
| Lining material             | Textile         |
| Lining material finition    | Breathable      |
| Footbed material            | Textile         |
| Footbed characteristic      | Removable       |
| Outsole material            | PU, 2d          |
| Outsole finition            | Injected        |
| Weight (g per shoe)         | 600             |



Safety footwear

# GARGAS II ISO 18KV


## MANUFACTURING

High electrical insulating shoe (18KV)

### Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-----------|--------|------|-------------|-------|----------|---|---|--------|---|---|---|
|-----------|--------|------|-------------|-------|----------|---|---|--------|---|---|---|

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height