



# CINTO S1PS SR

## UTILITIES

Lightweight, breathable, low-cut shoe for industrial use.

Foot protection



### Specific benefits



#### Comfort

- Lightweight product to reduce fatigue throughout the day
- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain



#### Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



#### Hygiene

- Removable insock for easy cleaning

### Certifications and norms



EN ISO 20345

S1PS CI HI FO A E SR

### Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Events & Scenic
- Education
- Firefighters & First Responders

### Risk Protection



Antistatic



Heat



Shock



Cold



*enjoy safety.*



# CINTO S1PS SR

## UTILITIES

Lightweight, breathable, low-cut shoe for industrial use.

Foot protection

### Standards - Details

### Technical details

Type of Shoe	Low Shoe
Anti-perforation insert	Metal free
Upper material and finition	Split Leather
Safety toe-cap	Composite
Lining material	Mesh
Lining Material Finish	3d
Footbed material	Polyester, PU
Footbed characteristic	Cold barrier, Shock-absorption, Removable, Heat barrier, Pre-molded
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	540
Size range	36 → 48








# CINTO S1PS SR

## UTILITIES

Lightweight, breathable, low-cut shoe for industrial use.

Safety footwear

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CINTOSPSGR36	Grey	36	CINTO S1PS SR	3295249290795	13295249290792	5	1	6.2 kg	21.8 cm	57.4 cm	31.6 cm
CINTOSPSGR37	Grey	37	CINTO S1PS SR	3295249290832	13295249290839	5	1	6.4 kg	21.6 cm	57.0 cm	32.2 cm
CINTOSPSGR38	Grey	38	CINTO S1PS SR	3295249290849	13295249290846	5	1	6.5 kg	22.2 cm	57.4 cm	32.4 cm
CINTOSPSGR39	Grey	39	CINTO S1PS SR	3295249290856	13295249290853	5	1	7.3 kg	57.0 cm	21.0 cm	31.5 cm
CINTOSPSGR40	Grey	40	CINTO S1PS SR	3295249290863	13295249290860	5	1	7.0 kg	21.8 cm	57.4 cm	32.2 cm
CINTOSPSGR41	Grey	41	CINTO S1PS SR	3295249290870	13295249290877	5	1	7.3 kg	24.2 cm	59.6 cm	34.2 cm
CINTOSPSGR42	Grey	42	CINTO S1PS SR	3295249290887	13295249290884	5	1	7.6 kg	24.2 cm	59.6 cm	34.0 cm
CINTOSPSGR43	Grey	43	CINTO S1PS SR	3295249290894	13295249290891	5	1	7.9 kg	23.2 cm	59.6 cm	34.4 cm
CINTOSPSGR44	Grey	44	CINTO S1PS SR	3295249290900	13295249290907	5	1	8.0 kg	24.0 cm	60.2 cm	34.0 cm
CINTOSPSGR45	Grey	45	CINTO S1PS SR	3295249290917	13295249290914	5	1	8.6 kg	25.8 cm	64.4 cm	35.8 cm
CINTOSPSGR46	Grey	46	CINTO S1PS SR	3295249290924	13295249290921	5	1	8.5 kg	25.2 cm	64.4 cm	35.6 cm
CINTOSPSGR47	Grey	47	CINTO S1PS SR	3295249290931	13295249290938	5	1	8.8 kg	25.6 cm	65.0 cm	36.0 cm
CINTOSPSGR48	Grey	48	CINTO S1PS SR	3295249290948	13295249290945	5	1	9.4 kg	26.4 cm	70.0 cm	37.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height