



CADEROUSSE S3 SRC

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Wide shape to accommodate stronger foot morphologies
- Dual-density outsole



Performance

- High stability ensured by the sole's grip properties

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Automotive

Certifications and norms



EN ISO 20345

S3 CI WRU FO A E SR

Risk Protection



Antistatic



Shock



Cold



Slip



enjoy safety.

Edit 08/11/2024
www.deltaplus-usa.com



CADEROUSSE S3 SRC

COLD ENVIRONMENT

Foot protection

Fur-lined ranger with a wider fit and robust construction, for the construction industry

Standards - Details

Technical details

Type of Shoe	High Cut Shoe
Anti-perforation insert	Stainless steel
Upper material and finition	Grain Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Polyester, Synthetical-fur
Footbed material	Felt
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	852
Size range	39 → 48








Safety footwear

CADEROUSSE S3 SRC

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CADERS3NO41	Black	41	CADEROUSSE S3 SRC	3295249114084	13295249114081	5	1	11.0 kg	32.5 cm	68.2 cm	36.5 cm
CADERS3NO43	Black	43	CADEROUSSE S3 SRC	3295249114107	13295249114104	5	1	11.3 kg	35.6 cm	65.6 cm	31.8 cm
CADERS3NO44	Black	44	CADEROUSSE S3 SRC	3295249114114	13295249114111	5	1	11.6 kg	35.8 cm	65.4 cm	31.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height