



JUMPER3 S1 SRC

CONSTRUCTION

High-cut shoe with robust construction for optimum durability

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance

Certifications and norms



EN ISO 20345

S1 FO A E SRC

Protects against risks



Antistatic



Shock



Slip



JUMPER3 S1 SRC

CONSTRUCTION

High-cut shoe with robust construction for optimum durability

Foot protection

Standards - Details

Technical details

| | |
|-------------------------|-----------------------------------|
| Shoe type | High shoe |
| Anti-perforation insert | None |
| Safety toe-cap | Stainless steel |
| Lining material | Textile, Mesh polyamid |
| Footbed material | EVA, Polyester |
| Footbed characteristic | Removable, Breathable, Pre-molded |
| Outsole material | PU, 2d |
| Outsole finition | Injected |
| Weight (g per shoe) | 556 |
| Size range | 36 → 48 |








JUMPER3 S1 SRC

CONSTRUCTION

High-cut shoe with robust construction for optimum durability

Safety footwear

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-------------|--------|------|----------------|---------------|----------------|---|---|----------|---|---|---|
| JUMP3S1NO36 | Black | 36 | JUMPER3 S1 SRC | 3295249242985 | 13295249242982 | 10 | 1 | 12.17 kg | 43.5 cm | 59.5 cm | 34.0 cm |
| JUMP3S1NO37 | Black | 37 | JUMPER3 S1 SRC | 3295249244033 | 13295249244030 | 10 | 1 | 12.44 kg | 43.5 cm | 59.5 cm | 34.0 cm |
| JUMP3S1NO38 | Black | 38 | JUMPER3 S1 SRC | 3295249244040 | 13295249244047 | 10 | 1 | 12.72 kg | 43.5 cm | 59.5 cm | 34.0 cm |
| JUMP3S1NO39 | Black | 39 | JUMPER3 S1 SRC | 3295249244057 | 13295249244054 | 10 | 1 | 13.0 kg | 41.0 cm | 57.2 cm | 31.6 cm |
| JUMP3S1NO41 | Black | 41 | JUMPER3 S1 SRC | 3295249244071 | 13295249244078 | 10 | 1 | 14.5 kg | 43.8 cm | 59.6 cm | 35.0 cm |
| JUMP3S1NO42 | Black | 42 | JUMPER3 S1 SRC | 3295249244088 | 13295249244085 | 10 | 1 | 14.7 kg | 44.0 cm | 59.6 cm | 34.4 cm |
| JUMP3S1NO43 | Black | 43 | JUMPER3 S1 SRC | 3295249244095 | 13295249244092 | 10 | 1 | 14.71 kg | 47.0 cm | 64.5 cm | 36.5 cm |
| JUMP3S1NO44 | Black | 44 | JUMPER3 S1 SRC | 3295249244101 | 13295249244108 | 10 | 1 | 15.03 kg | 47.0 cm | 64.5 cm | 36.5 cm |
| JUMP3S1NO45 | Black | 45 | JUMPER3 S1 SRC | 3295249244118 | 13295249244115 | 10 | 1 | 15.36 kg | 47.0 cm | 64.5 cm | 36.5 cm |
| JUMP3S1NO46 | Black | 46 | JUMPER3 S1 SRC | 3295249244125 | 13295249244122 | 5 | 1 | 8.6 kg | 25.6 cm | 64.4 cm | 35.2 cm |
| JUMP3S1NO47 | Black | 47 | JUMPER3 S1 SRC | 3295249244132 | 13295249244139 | 5 | 1 | 8.22 kg | 25.5 cm | 69.5 cm | 38.0 cm |
| JUMP3S1NO48 | Black | 48 | JUMPER3 S1 SRC | 3295249244149 | 13295249244146 | 5 | 1 | 8.4 kg | 25.5 cm | 69.5 cm | 38.0 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height