



# TW302 S3 SRC

## CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions

Foot protection



## Specific benefits



### Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain



### Performance

- Sole designed to withstand contact heat up to 300°C
- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



### Hygiene

- Removable insock for easy cleaning

## Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Automotive
- Mining

## Certifications and norms



EN ISO 20345

S3 HRO CI HI WRU FO A E PS SC LG SRC

## Protects against risks



Antistatic



Heat



Shock



Cold



Foot protection

# TW302 S3 SRC

## CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions

### Standards - Details

### Technical details

Shoe type	Low shoe
Anti-perforation insert	Metal free
Upper material and finition	Grain Leather
Safety toe-cap	Composite
Lining material	Polyamid
Lining material finition	Absorbing
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU, Nitrile
Outsole finition	Welded
Weight (g per shoe)	894
Size range	39 → 48





Safety footwear

# TW302 S3 SRC CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TW302S3NO39	Black	39	TW302 S3 SRC	3295249222727	13295249222724	5	1	8.7 kg	25.2 cm	61.8 cm	35.0 cm
TW302S3NO40	Black	40	TW302 S3 SRC	3295249224271	13295249224278	5	1	8.8 kg	24.6 cm	62.4 cm	35.4 cm
TW302S3NO41	Black	41	TW302 S3 SRC	3295249224288	13295249224285	5	1	9.1 kg	25.4 cm	62.2 cm	34.2 cm
TW302S3NO42	Black	42	TW302 S3 SRC	3295249224295	13295249224292	5	1	9.4 kg	27.0 cm	62.2 cm	35.4 cm
TW302S3NO43	Black	43	TW302 S3 SRC	3295249224301	13295249224308	5	1	9.7 kg	26.8 cm	62.4 cm	37.0 cm
TW302S3NO44	Black	44	TW302 S3 SRC	3295249224318	13295249224315	5	1	10.2 kg	28.4 cm	62.4 cm	37.0 cm
TW302S3NO45	Black	45	TW302 S3 SRC	3295249224325	13295249224322	5	1	10.4 kg	27.8 cm	63.4 cm	37.2 cm
TW302S3NO46	Black	46	TW302 S3 SRC	3295249224332	13295249224339	5	1	10.5 kg	26.2 cm	63.0 cm	38.0 cm
TW302S3NO47	Black	47	TW302 S3 SRC	3295249224349	13295249224346	5	1	10.9 kg	26.4 cm	62.6 cm	37.6 cm
TW302S3NO48	Black	48	TW302 S3 SRC	3295249224356	13295249224353	5	1	11.2 kg	26.6 cm	62.8 cm	38.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height