



FENNEC3 S1P SRC

MANUFACTURING

Foot protection

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345
S1P FO A E SRC

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance

Protects against risks



Antistatic



Shock



Slip



Perforation



FENNEC3 S1P SRC

MANUFACTURING

Foot protection

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Standards - Details

Technical details

Shoe type	Low shoe
Anti-perforation insert	Stainless steel
Upper material and finition	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamid
Lining material finition	Absorbing
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	628
Size range	36 → 47








Safety footwear

FENNEC3 S1P SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FEN3PGR44	Grey	44	FENNEC3 S1P SRC	3295249218966	13295249218963	10	1	15.2 kg	44.0 cm	59.6 cm	33.8 cm
FEN3PGR45	Grey	45	FENNEC3 S1P SRC	3295249218973	13295249218970	10	1	16.4 kg	44.0 cm	59.6 cm	34.6 cm
FEN3PGR47	Grey	47	FENNEC3 S1P SRC	3295249218997	13295249218994	5	1	9.5 kg	25.6 cm	64.6 cm	36.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height