

Foot protection

FENNEC3 S1P SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces



Specific benefits



Comfort

- · Stabilisation of the foot when walking
- · Shock-absorbing heel to relieve joint strain
- · Dual-density outsole



Performance

- · Ladder side grip: sole design for good grip on ladders
- · High stability ensured by the sole's grip properties



Hygiene

· Removable insock for easy cleaning

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance

Certifications and norms



EN ISO 20345

S1P FO A E SRC

Risk Protection















Foot protection

FENNEC3 S1P SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Standards - Details

Technical details

Type of Shoe	Low Shoe
Anti-perforation insert	Stainless steel
Upper material and finition	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamide
Lining Material Finish	Absorbent
Footbed material	EVA, Polyester
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	628
Size range	36 → 47







FENNEC3 S1P SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Logistics information Reference Colour Size Designation EAN13 Box code Weight 59.6 FEN3PGR44 Grey 44 FENNEC3 S1P SRC 3295249218966 13295249218963 15.2 kg 10 44.0 59.6 34.6 FEN3PGR45 Grey 45 FENNEC3 S1P SRC 3295249218973 13295249218970 10 16.4 kg cm cm cm 36.2 25.6 64.6 FEN3PGR47 Grey 47 FENNEC3 S1P SRC 3295249218997 13295249218994 5 9.5 kg cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height