



# MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Foot protection



## Specific benefits



### Comfort

- Flexible sole to reduce fatigue during use
- Lightweight product to reduce fatigue throughout the day
- Second-skin effect for a close-fitting fit



### Performance

- Enhanced protection against electrostatic discharge
- High stability ensured by the sole's grip properties



### Hygiene

- Removable insock for easy cleaning

## Applications

- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance
- Automotive
- Temporary Work

## Certifications and norms



EN ISO 20345

S1P FO A E ESD SRC

## Risk Protection



Antistatic



Shock



Slip



Perforation



*enjoy safety.*



# MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Foot protection

## Standards - Details

## Technical details

Type of Shoe	Low Shoe
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU
Outsole finition	Injected
Weight (g per shoe)	456
Size range	35 → 48








# MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Safety footwear

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
MIAMIEPNO35	Black	35	MIAMI S1P SRC ESD	3295249243210	13295249243217	10	1	9.5 kg	23.4 cm	59.8 cm	33.2 cm
MIAMIEPNO36	Black	36	MIAMI S1P SRC ESD	3295249247409	13295249247406	10	1	9.4 kg	23.6 cm	60.0 cm	33.6 cm
MIAMIEPNO37	Black	37	MIAMI S1P SRC ESD	3295249247416	13295249247413	10	1	9.8 kg	23.8 cm	59.8 cm	33.4 cm
MIAMIEPNO38	Black	38	MIAMI S1P SRC ESD	3295249247423	13295249247420	10	1	10.4 kg	24.0 cm	59.6 cm	33.6 cm
MIAMIEPNO39	Black	39	MIAMI S1P SRC ESD	3295249247430	13295249247437	10	1	10.9 kg	24.6 cm	61.8 cm	35.0 cm
MIAMIEPNO40	Black	40	MIAMI S1P SRC ESD	3295249247447	13295249247444	10	1	11.0 kg	24.6 cm	62.4 cm	34.8 cm
MIAMIEPNO41	Black	41	MIAMI S1P SRC ESD	3295249247454	13295249247451	10	1	11.1 kg	24.8 cm	61.8 cm	34.8 cm
MIAMIEPNO42	Black	42	MIAMI S1P SRC ESD	3295249247461	13295249247468	10	1	11.6 kg	25.6 cm	65.4 cm	36.8 cm
MIAMIEPNO43	Black	43	MIAMI S1P SRC ESD	3295249247478	13295249247475	10	1	12.1 kg	25.6 cm	65.2 cm	37.0 cm
MIAMIEPNO44	Black	44	MIAMI S1P SRC ESD	3295249247485	13295249247482	10	1	11.7 kg	26.2 cm	64.0 cm	36.6 cm
MIAMIEPNO45	Black	45	MIAMI S1P SRC ESD	3295249247492	13295249247499	10	1	12.8 kg	26.8 cm	67.8 cm	40.2 cm
MIAMIEPNO46	Black	46	MIAMI S1P SRC ESD	3295249247508	13295249247505	10	1	13.1 kg	27.0 cm	67.4 cm	40.2 cm
MIAMIEPNO47	Black	47	MIAMI S1P SRC ESD	3295249247515	13295249247512	10	1	13.7 kg	27.2 cm	67.2 cm	41.0 cm
MIAMIEPNO48	Black	48	MIAMI S1P SRC ESD	3295249247522	13295249247529	10	1	13.5 kg	26.8 cm	67.6 cm	40.6 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height