



FENNEC3 S1 SRC

MANUFACTURING

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345

S1 FO A E SRC

Applications

- Javna dela
- Stavba
- Second work / craftman
- Predstavitve in dogodki
- Lahka industrija
- Vzdrževanje

Protects against risks



Antistatic



Shock



Slip



FENNEC3 S1 SRC

MANUFACTURING

Foot protection

Standards - Details

Technical details

Shoe type	Low shoe
Anti-perforation insert	None
Upper material and finition	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamid
Lining material finition	Absorbing
Footbed material	EVA
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	477
Size range	36 → 47








Safety footwear

FENNEC3 S1 SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
FENN3GR37	Grey	37	FENNEC3 S1 SRC	3295249218782	13295249218789	10	1	15.0 kg	61.0 cm	45.0 cm	34.5 cm
FENN3GR40	Grey	40	FENNEC3 S1 SRC	3295249218812	13295249218819	10	1	12.4 kg	44.6 cm	59.6 cm	34.4 cm
FENN3GR45	Grey	45	FENNEC3 S1 SRC	3295249218867	13295249218864	10	1	14.7 kg	44.0 cm	60.0 cm	34.2 cm
FENN3GR47	Grey	47	FENNEC3 S1 SRC	3295249218881	13295249218888	5	1	9.25 kg	24.5 cm	64.5 cm	36.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height