

FENNEC3 S1 SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Foot protection



Specific benefits

Comfort

- \cdot Stabilisation of the foot when walking
- · Shock-absorbing heel to relieve joint strain
- \cdot Dual-density outsole



- · Ladder side grip: sole design for good grip on ladders
- · High stability ensured by the sole's grip properties



· Removable insock for easy cleaning

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance

Certifications and norms

CE

EN ISO 20345 S1 FO A E SRC

Risk Protection







enjoy s

Edit 08/11/2024 www.deltaplus-usa.com



FENNEC3 S1 SRC

MANUFACTURING

surfaces

Foot protection

Standards - Details

Technical details

Low-cut shoe, combining durability and breathability, as well as optimal grip on all

Type of Shoe	Low Shoe
Anti-perforation insert	None
Upper material and finition	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamide
Lining Material Finish	Absorbent
Footbed material	EVA
Outsole material	PU, 2d
Outsole finition	Injected
Weight (g per shoe)	477
Size range	36 → 47



enjoy so



FENNEC3 S1 SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Safety footwear

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		٦	Weight				
FENN3GR37	Grey	37	FENNEC3 S1 SRC	3295249218782	13295249218789	10	1	15.0 kg	61.0 cm	45.0 cm	34.5 cm	
FENN3GR40	Grey	40	FENNEC3 S1 SRC	3295249218812	13295249218819	10	1	12.4 kg	44.6 cm	59.6 cm	34.4 cm	
FENN3GR45	Grey	45	FENNEC3 S1 SRC	3295249218867	13295249218864	10	1	14.7 kg	44.0 cm	60.0 cm	34.2 cm	
FENN3GR47	Grey	47	FENNEC3 S1 SRC	3295249218881	13295249218888	5	1	9.25 kg	24.5 cm	64.5 cm	36.5 cm	

Multiple sales



🔲 Box Width

👕 Box Depth

🗍 Box Height

ſ



enjoy sa