



COBRA4 S3 SRC

HEAVY DUTY

Welding-specific high-cut shoe, standard 20349-2

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Padded tongue to reduce pressure points in the lacing area
- Dual-density outsole



Performance

- Sole designed to withstand contact heat up to 300°C
- Ladder side grip: sole design for good grip on ladders



Hygiene

- Removable insock for easy cleaning

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance
- Automotive

Certifications and norms



EN ISO 20345

S3 HRO HI WRU FO A E SRC

EN ISO 20349-2

WG

Risk Protection



Antistatic



Heat



Shock



Slip



enjoy safety.

Edit 18/11/2024
www.deltaplus-usa.com



COBRA4 S3 SRC

HEAVY DUTY

Welding-specific high-cut shoe, standard 20349-2

Foot protection

Standards - Details

Technical details

| | |
|-------------------------|-----------------------------------|
| Type of Shoe | High Shoes |
| Anti-perforation insert | Stainless steel |
| Safety toe-cap | Stainless steel |
| Lining material | Textile, Polyester |
| Footbed material | EVA, Polyamide |
| Footbed characteristic | Removable, Breathable, Pre-molded |
| Outsole material | PU, Nitrile rubber |
| Outsole finition | Injected |
| Weight (g per shoe) | 726 |
| Size range | 36 → 48 |








COBRA4 S3 SRC

HEAVY DUTY

Welding-specific high-cut shoe, standard 20349-2

Safety footwear

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|-------------|--------|------|---------------|---------------|----------------|---|---|---------|---|---|---|
| COBR4S3NO36 | Black | 36 | COBRA4 S3 SRC | 3295249233341 | 13295249233348 | 10 | 1 | 14.9 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO37 | Black | 37 | COBRA4 S3 SRC | 3295249233358 | 13295249233355 | 10 | 1 | 15.1 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO38 | Black | 38 | COBRA4 S3 SRC | 3295249233365 | 13295249233362 | 10 | 1 | 15.4 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO39 | Black | 39 | COBRA4 S3 SRC | 3295249233372 | 13295249233379 | 10 | 1 | 15.9 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO40 | Black | 40 | COBRA4 S3 SRC | 3295249233389 | 13295249233386 | 10 | 1 | 16.5 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO41 | Black | 41 | COBRA4 S3 SRC | 3295249233396 | 13295249233393 | 10 | 1 | 17.1 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO42 | Black | 42 | COBRA4 S3 SRC | 3295249233402 | 13295249233409 | 10 | 1 | 17.7 kg | 33.5 cm | 62.0 cm | 47.0 cm |
| COBR4S3NO43 | Black | 43 | COBRA4 S3 SRC | 3295249233419 | 13295249233416 | 10 | 1 | 18.6 kg | 37.5 cm | 64.5 cm | 51.5 cm |
| COBR4S3NO44 | Black | 44 | COBRA4 S3 SRC | 3295249233426 | 13295249233423 | 10 | 1 | 19.2 kg | 37.5 cm | 64.5 cm | 51.5 cm |
| COBR4S3NO45 | Black | 45 | COBRA4 S3 SRC | 3295249233433 | 13295249233430 | 10 | 1 | 19.7 kg | 37.5 cm | 64.5 cm | 51.5 cm |
| COBR4S3NO46 | Black | 46 | COBRA4 S3 SRC | 3295249233099 | 13295249233096 | 10 | 1 | 20.4 kg | 37.5 cm | 64.5 cm | 51.5 cm |
| COBR4S3NO47 | Black | 47 | COBRA4 S3 SRC | 3295249233440 | 13295249233447 | 10 | 1 | 21.1 kg | 37.5 cm | 64.5 cm | 51.5 cm |
| COBR4S3NO48 | Black | 48 | COBRA4 S3 SRC | 3295249233457 | 13295249233454 | 10 | 1 | 21.2 kg | 37.5 cm | 64.5 cm | 51.5 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height