



# M1200

## JEDNOKRATNE MASKE

Jednokratna respiratorna maska P2 bez ventila

Oprema za zaštitu glave



### Prednosti



#### Udobnost

· Podesivi dio za nos za savršeno pristajanje i udobnost

### Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Proizvodnja / Prerada
- Laka industrija
- Održavanje

### Certifikati i standardi



EN 149

FFP2 NR DOLOMITE

### Štiti od



Biološke



Čestice



# M1200

## JEDNOKRATNE MASKE

Jednokratna respiratorna maska P2 bez ventila

Oprema za zaštitu glave

### Pojedinosti - Standardi

### Tehnički detalji

Karakteristike kopče za nos	Vanjština
Materijal od kojeg je izrađen nosni nastavak	Željezo
Vrsta respiratorne zaštite	Maska sa slobodnom ventilacijom
Materijal od kojeg je izrađena maska	Netkana sintetika
Maska sa slobodnom ventilacijom	Jednokratna maska
Jednokratna maska	Kalup
Vrsta zaštite	Krute čestice, Kamen
Učvršćenje	Rubovi
Upotreba	NR
Dodatna prednost	Podesivo, Bez grafena
Dolomite	yes
Maksimalni životni vijek (years)	5
Težina (g)	227
Količina po kartonu (PCB)	10
Packaging (unit)	20








Head protection

# M1200

## DISPOSABLE RESPIRATORY

P2 disposable mask without valve

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
M1200C	White	Adjustable	M1200	3295249107987	13295249107984	10	1	3.3 kg	32.2 cm	69.4 cm	18.2 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height