

## PACAYA SMOKE LYVIZ

**SAFETY GLASSES** 

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions



## **Specific benefits**



#### **Comfort**

- $\cdot$  Ample indirect venting on the top and bottom of the lens to reduce moisutre infultration and fogging
- · Gasket brings an increased comfort and optimal sealing
- · Wide frame bringing a better fit for wider facial profile



#### **Performance**

- $\cdot$  Design incorporates brow protection and both side shields and vents for an optimal vision in heat conditions
- · Spherical visor for an extra large field of vision



#### **Durability**

 $\cdot \, \text{Anti-scratch coating Increasing lifespan} \\$ 

## **Technologies & labels**

LYVIZ™



# Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

## **Certifications and norms**



**EN172** 

UV 5 - 3.1

**EN166** 

1 FT / FT

**ANSI Z87.1-2003** 

Z87+ U6 L3







# **PACAYA SMOKE LYVIZ**

**SAFETY GLASSES** 

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

## **Standards - Details**

## **Technical details**

Kind of spectacles	Glasses
Use	Outside
Gasket	Absorbing Foam
Lens matérial	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	8
Lens support	Monobloc
Lens color	Smoke
Lens caracteristic	Curved
Nose pad material	Polycarbonate
Frame material	Nylon
Frame	Temples
Frame color	Black
Temples benefit	Adjustable width
Temples confort	Flexible tip
Optional accessories	Strap
Weight	36 g
Benefits elements	Hydrophobe







# **PACAYA SMOKE LYVIZ**

## **SAFETY GLASSES**

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

Logistics information											
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight			
PACAYLVFU	Smoke	-	PACAYA SMOKE LYVIZ	3295249216757	13295249216754	100	10	7.232 kg	30.6 cm	40.0 cm	63.6 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height