



Head protection

HELIUM 2 BLUE BLOCKER

SAFETY GLASSES

Ultra light brown safety glasses with lenses that filter blue light



Specific benefits



Comfort

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra flat temples for optimal comfort and less pressure
- Flex temples for an optimal comfort with less pressure
- Ultra lightweight for a better acceptance in extended period of use



Performance

- Spherical visor for an extra large field of vision



Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

Applications

- Agriculture
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Light industry
- Transportation
- Storage

Certifications and norms



EN170

UV 2C - 1.4

EN166

1 FT / FT

ANSI-ISEA Z87.1 - IMPACT

Z87+ U6 L1.5



Head protection

HELIUM 2 BLUE BLOCKER

SAFETY GLASSES

Ultra light brown safety glasses with lenses that filter blue light

Standards - Details

Technical details

Kind of spectacles	Glasses
Use	Inside/outside
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400, Antistatic
Lens based curve	9.5
Lens support	Monobloc
Lens color	Amber
Lens characteristic	Curved
Nose pad material	Polycarbonate
Frame material	Polycarbonate
Frame	Temples
Temples benefit	Extra thin, Extra flat
Temples confort	Non-slip temples, Padded temples, Flexible tip
Optional accessories	Strap, Case
Weight	17 g
Benefits elements	Antistatic, Color perception, Increased visual comfort








Head protection

HELIUM 2 BLUE BLOCKER

SAFETY GLASSES

Ultra light brown safety glasses with lenses that filter blue light

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HELI2BB	Brown	-	HELIUM 2 BLUE BLOCKER	3295249254537	13295249254534	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height