



Head protection

# HELIUM 2 SMOKE

## SAFETY GLASSES

Ultra light smoked-lens safety glasses with flexible arms



### Specific benefits



#### Comfort

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra flat temples for optimal comfort and less pressure
- Flex temples for an optimal comfort with less pressure
- Ultra lightweight for a better acceptance in extended period of use



#### Performance

- High performance optical class for less visual fatigue
- Wrap-around, uni-lens design offers full panoramic view and excellent side protection

### Certifications and norms



**EN172**

UV 5 - 2.5

**EN166**

1 FT / FT

**ANSI-ISEA Z87.1 - IMPACT**

Z87+ U6 L2

### Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**

### Protects against risks



Shock



UV / IR



Head protection

# HELIUM 2 SMOKE

## SAFETY GLASSES

Ultra light smoked-lens safety glasses with flexible arms

### Standards - Details

### Technical details

Type of eye protection	Glasses
Use	Outside
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400, Antistatic
Lens based curve	9.5
Lens support	Monobloc
Lens color	Smoke
Optical class	1
Lens protection class	2.5
Lens characteristic	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame material	TPE, Polycarbonate
Frame	Temples
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temples benefit	Extra thin, Extra flat, Non-slip temples
Temples confort	Non-slip temples, Flexible temples
Optional accessories	Strap, Case
Weight (g)	17
Benefits elements	Ear protection compatibility








# HELIUM 2 SMOKE

## SAFETY GLASSES

Ultra light smoked-lens safety glasses with flexible arms

Head protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HELI2FU	Smoke	-	HELIUM 2 SMOKE	3295249254551	13295249254558	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height