



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling



Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 362
CLASS B

Risk Protection



Fall



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

Standards - Details

Technical details

Type of equipment	Karabiner with 1/4 turn automatic lock
Composition of the main support	Steel
Length (m)	0,107
Gate opening (mm)	17
Opening (inch)	0.6681
Lock	Automatic system
Fastening	Automatic
Color	Steel
SIZE	One size
Lifespan from manufacturing (years)	20
Weight (kg)	0,200
Lenght (ft)	0.3511








Fall protection

AM018 CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
AM018	Steel	One size	AM018	3295249182885	13295249182882	20	1	4.5 kg	20.0 cm	15.0 cm	14.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height